



38


Hard metal brazed tips, type 38. Design and dimensions

25415-90

25.100
77.160
196000

01.07.93

- 1.
- 2.
- 1.



*

1

| | | l | b | 1 | s | | | | |
|-------|---|----|------|------|-----|---|----|----------|---|
| 38011 | 1 | 16 | 7,0 | 6,3 | 2,0 | 3 | 10 | 2, 6, 8, | 4 |
| 38031 | | 20 | 10,6 | 9,5 | 3,0 | | | 9, 11 | 4 |
| 38051 | | 25 | 14,5 | 12,9 | 4,5 | 4 | 10 | 2, 6, 8, | 4 |
| 38171 | | 32 | 18,0 | 16,0 | | | | 9, 11 | 4 |

| | | / | b | b _j | s | | | | - |
|-------|---|----|------|----------------|-----|----|----|-------------|------|
| 38092 | 2 | 25 | 22,0 | 14,0 | 4,5 | 8 | 10 | 2, 6, 8, 11 | 4, 9 |
| 38192 | | 32 | 28,0 | 17,0 | 5,0 | | 10 | 4, 6, 8, 11 | 2, 9 |
| 38212 | | 36 | 33,0 | 20,0 | 6,0 | 10 | 10 | 4, 6, 8, 11 | 2, 9 |
| 38152 | | 40 | 40,0 | 23,0 | | | 10 | 4, 6, 8, 11 | 2, 9 |

- 3. — 25393.
- 4.
- 5. — 2209.
- 6. : 2— 15 6; 4— 5 10; 6— 7 12; 8— 6- ,
6- ; 9- 6; 10- 8; 11- - .

| | 15 6 | 5 10 | 7 12 | 6- , 6- | 8 | - |
|-------|-------|--------|--------|---------|--------|--------|
| 38011 | 2,06 | 2,34 | 2,42 | 2,73 | 2,70 | 2,72 |
| 38031 | 5,74 | 6,52 | 6,72 | 7,60 | 7,50 | 7,55 |
| 38051 | 14,60 | 16,60 | 17,10 | 19,40 | 19,10 | 19,23 |
| 38171 | 23,60 | 26,80 | 27,60 | 31,20 | 30,80 | 31,02 |
| 38092 | 24,90 | 28,20 | 29,10 | 32,90 | 32,80 | 33,02 |
| 38192 | 45,50 | 51,60 | 53,20 | 60,10 | 59,40 | 59,82 |
| 38212 | 72,20 | 81,90 | 84,50 | 95,50 | 94,30 | 94,96 |
| 38152 | 97,70 | 111,00 | 114,00 | 129,00 | 128,00 | 128,90 |

1.

2.

31.10.90 2764

3.

25415-82

4.

-

| | |
|----------|---|
| | |
| | |
| 2209-90 | 5 |
| 25393-90 | 3 |

5.